FEDERAL TRANSIT BUS TEST

Performed for the Federal Transit Administration U.S. DOT In accordance with 49 CFR, Part 665

Altoona Bus Testing and Research Center Test Bus Procedure

5.7 STRUCTURAL DURABILITY TEST

Pass/Fail October 2016



The Thomas D. Larson
Pennsylvania Transportation Institute
201 Transportation Research Building
The Pennsylvania State University
University Park, PA 16802
(814) 865-1891

Bus Testing and Research Center 2237 Plank Road Duncansville, PA 16635 (814) 695-3404



LTI BUS RESEARCH AND TESTING CENTER

ABBREVIATIONS

ABTC Altoona Bus Test Center

A/C Air Conditioner

ADB Advance design bus

CBD Central business district

CI Compression ignition

CNG Compressed natural gas

CW Curb weight (bus weight including maximum fuel, oil, and coolant; but

without passengers or driver)

dB(A) Decibels with reference to 0.0002 microbar as measured on the "A"

scale

DIR Test director
DR Bus driver

EPA Environmental Protection Agency

FFS Free floor space (floor area available to standees, excluding

ingress/egress areas, area under seats, area occupied by feet of seated

passengers, and the vestibule area)

FTA Federal Transit Administration
GAWR Gross axle weight rating

GL Gross load (150 lb. for every designed passenger seating position, for

the driver, and for each 1.5 sq. ft. of free floor space)

GVW Gross vehicle weight (curb weight plus gross vehicle load)

GVWR Gross vehicle weight rating

hr. Hour

LNG Liquefied natural gas

LTI Larson Transportation Institute

mpg Miles per gallon
mph Miles per hour
NBM New bus models
PSTT Penn State Test Track
rpm Revolutions per minute

SAE Society of Automotive Engineers

SCF Standard cubic feet

SCFM Standard cubic feet per minute

SCH Test scheduler SA Staff Assistant SI Spark ignition

SLW Seated load weight (curb weight plus 150 lb. for every designated

passenger seating position and for the driver)

TD Test driver
TM Track manager
TP Test personnel

5.7-I. TEST OBJECTIVE

The objective of this test is to perform an accelerated durability test that approximates up to 25 percent of the service-life of the vehicle.

5.7-II. TEST DESCRIPTION

The test article is driven on the structural durability test track for the required total number of miles designated for the service-life category under which it was submitted for testing (see Table 5.7-1). The durability test track consists of seven different stress inducing elements that subject the bus to the types of events expected to be encountered during transit service. Figures 5.7-1 through 5.7-8 provide a detailed profile for each stress inducing element located on the durability test track. The test speed is posted in front of all durability elements. The bus speeds on the durability elements are as follows: 20 mph on the 1" random chuck holes, chatter bumps and high crown Intersection; 10 mph on 6" staggered bumps, frame twist and the end turnarounds; 8 mph on railroad crossing; and 5 mph on the 4" Chuck Hole. The test will be conducted with the bus operated under three different loading conditions. The first segment will be performed with the bus operated at the gross vehicle weight (GVW). The second segment will be performed with the bus operated at seated load weight (SLW). The remainder of the test will be conducted with the bus loaded to curb weight (CW). The number of miles required for each service-life category at each loading condition is provided in Table 5.7-1.

Service Life	GVW Miles	SLW Miles	CW Miles	Other Miles	Total Miles
12 Year / 500,000 miles	5,250	2,000	5,250	2,500	15,000
10 Year / 350,000 miles	3,625	1,500	3,625	2,500	11,250
7 Year / 200,000 miles	2,000	1,000	2,000	2,500	7,500
5 Year / 150,000 miles	1,625	500	1,625	1,300	5,050
4 Year / 100,000 miles	1,000	500	1,000	1,300	3,800

Table 5.7-1

If the calculated gross vehicle load exceeds the gross vehicle weight ratings, or any of the gross axle weight ratings, the load will be adjusted to comply with the limiting rating and the change will be recorded. All subsystems are operated during these tests in their normal modes. All recommended manufacturers servicing will be followed and noted on the vehicle maintainability log.

It is intended that this test accelerate the normal structural stresses encountered during transit service at a ratio of 10:1. Some components may experience a more accelerated stress cycling, while others may experience stress cycling at a rate of less than 10:1. Unscheduled maintenance, breakdowns and repairs are recorded on the same log as are any unusual occurrences as noted by the driver. The test article will be visually inspected at the change of each driving shift or if a problem is suspected. Once a week the test article shall be washed down, raised and thoroughly inspected for any signs of failure.

5.7-III. TEST ARTICLE

The test article is a transit bus with a minimum service life of 4, 5, 7, 10 or 12 years.

5.7-IV. TEST EQUIPMENT/FACILITIES/PERSONNEL

This test is run on the vehicle durability test track facility and bus test lane at the PSTT. Test personnel consist of the following:

- 1. Test track manager (TM)
- 2. Bus driver (DR)
- 3. Test personnel (TP)
- 4. Camera

5.7-V. TEST DATA

The test data consists of keeping the vehicle log for miles and hours driven on the durability test track or bus test lanes. In addition, the vehicle maintainability log is updated with Work Order Forms when any breakdowns or any unscheduled maintenance is required. All forms to be filled out with a pen. Data shall be forwarded to the ABTC manager on a weekly basis.

5.7-VI. TEST PREPARATION AND PROCEDURES

The detailed test preparation and procedures are listed in Procedure 5.7-1.

DETAILED TEST PROCEDURES TITLE: 5. Structural Integrity				
Procedure 5.7-1	NOMENCLATURE: 5.7 Structural Durability Test			
OPER STEP	ACTION BY	TEST PREPARATION		
1	TP	Record the test bus number on the vehicle log.		
2	TP	Record the bus mileage as delivered on the vehicle log.		
3	TP	Load the bus with a distributed load appropriate for the particular test segment.		
4	DR	Deliver the bus to the PSTT and record the mileage on the vehicle log.		

DETAILED TEST PROCEDURES TITLE: 5. Structural Integrity				
Procedure 5.7-1	NOMENCLATURE: 5.7 Structural Durability Test			
OPER STEP	ACTION BY	TEST PROCEDURE		
1	TP	Take photographs of the bus on the durability lane (both side view and head on view).		
2	TM	Check bus logs each day. Determine whether the required mileage has been reached for the particular load, and if so, arrange to change load.		
3	TM	Check bus logs to see if bus must be scheduled for servicing, and if so, fill out a Work Order Form and arrange for the bus to be taken to ABTC.		
4	DR	Inspect the bus at the beginning of each shift or as necessary for safety, all subsystems operational, and signs of structural failure. Inspect ballast and adjust and reposition as necessary to ensure proper weight distribution. Record comments and descriptions on the vehicle log and any repairs on a Work Order Form.		
5	DR	Operate the bus in accordance with the established driving schedule. The approximate speed of each element is painted on the Durability Test Track.		
6	DR	In accordance with the established driving schedule, operate all subsystems; e.g., open and close all doors, operate all lights, windshield washer and wipers, chairlifts, etc., depending on the equipment on the bus. Check the structure and the suspension components. Photograph any damage that occurs.		
7	DR	Repeat 3 through 5 for each driving segment.		
8	DR	After turning the bus over to the next driver, complete your Driving Log, using pen, and note anything unusual.		




Figure 5.7-1. Plan view of the PSBRTF durability test track.




Figure 5.7-2. Side view of stress elements.




Figure 5.7-3




Figure 5.7-4.




Figure 5.7-5.





Figure 5.7-6.



ELEMENT 6 -- 3/4" CHATTER BUMPS

Figure 5.7-7.




Figure 5.7-8.